109 samples tested from 21 April to 20 May 2024

CanTEST have tested a total of 2628 samples to 20 May 2024. This month we provided **117** health & AOD brief interventions and **14/109** samples were voluntarily discarded by people after their received their results.

(a) (f) (y) (b)

Ketamine

was expected in 9 samples and detected in 5.

Purities ranged from 61 - 87%

In addition to ketamine:

- 1 sample contained MDMA and
- 1 sample contained lidocaine

In the samples where **ketamine** was expected but not detected:

2 contained 2'-fluoro-2-oxo-PCE

LSD

and detected in 2.

CanTEST's Community Notices and other harm

reduction info can be found at @CanTESTCBR on Instagram, Facebook and Twitter/X

was expected in 3 samples

Heroin

was expected in 9 samples and detected in 8.

Purities ranged from 69 - 76%.

In addition to heroin: 2 also contained 6-MAM 5 also contained 6-MAM and acetylcodeine

In 1 sample, heroin containing **nitazene** was expected. The sample contained **heroin**, **6-MAM** and **acetylcodeine**.

Cocaine

was expected and detected in 15 samples

Purities ranged from 16 - 88%

In addition to cocaine: 2 samples contained caffeine, 1 sample contained caffeine & procaine,

MDMA

was expected in 29 samples and detected in 26.

Samples tested and their purity ranges included:

12/13 capsules contained 41 - 84% 8/9 crystals contained 13 - 79% **5/5** pills contained **<5 - 23%** 1/2 powders contained 65%

In addition to MDMA:

- 1 sample also contained dipentylone
- 1 sample also contained cocaine
- 1 sample also contained 4-MMC
- 1 sample also contained MDA

In the samples where **MDMA** was expected but not detected,

- 1 sample contained cocaine and caffeine
- 1 sample contained dipentylone
- 1 sample contained methamphetamine

Methamphetamine

was expected in 12 samples and detected in 10.

Purities ranged from 73 - 80%

In the samples where **methamphetamine** was expected but not detected:

1 sample contained MDMA

1 sample contained MSM

Community News

A red community notice was issued on 18 May after **N-pyrrolidino protonitazene** ('NPP', a potent opioid) was detected. We continue to encourage everyone to learn the signs of opioid overdose and always carry naloxone.

MDA expected, MDA detected (1)

4-MMC expected, 4-MMC detected (1)

2C-B expected, **2C-B** detected (**6/9**)

Scan or click to find out where you can access free naloxone n'ear you









